L Number	Hits	Search Text	DB	Time stamp
1	377	(348/673,687).CCLS.	USPAT;	2003/11/18 15:35
		• • •	US-PGPUB	
2	168	((348/673,687).CCLS.) and automatic\$4	USPAT;	2003/11/18 15:35
			US-PGPUB	
3	29	(((348/673,687).CCLS.) and automatic\$4) and sensor	USPAT;	2003/11/18 15:36
			US-PGPUB	·
4	9	(((((348/673,687).CCLS.) and automatic\$4) and sensor) and	USPAT;	2003/11/18 15:36
		ambient	US-PGPUB	
-	21	345/207.ccls. and tone	USPAT;	2003/11/12 09:13
			US-PGPUB	
-	41	345/207.ccls. and curve	USPAT;	2003/11/12 10:36
			US-PGPUB	
-	8	(345/207.ccls. and curve) and correcting	USPAT;	2003/11/12 10:46
			US-PGPUB	
-	15	(345/207.ccls. and curve) and ambient	USPAT;	2003/11/12 11:15
			US-PGPUB	
-	3569	TRC	USPAT;	2003/11/12 11:15
			US-PGPUB	
-	94	"tone reproduction characteristic"	USPAT;	2003/11/12 14:56
			US-PGPUB	
-	3	"tone reproduction characteristic" and projector	USPAT;	2003/11/12 11:18
			US-PGPUB	
-	17	"tone reproduction characteristic" and "liquid crystal"	USPAT;	2003/11/12 11:18
			US-PGPUB	
-	325	"tone reproduction curve"	USPAT;	2003/11/12 15:06
1			US-PGPUB	
-	25	"tone reproduction curve" and LCD	USPAT;	2003/11/12 15:15
	_		US-PGPUB	
-	4	"tone reproduction curve" and (projector)	USPAT;	2003/11/12 15:11
İ		(III)	US-PGPUB	2002/44/42 45:45
-	6	("tone reproduction curve" and LCD) and ambient	USPAT;	2003/11/12 15:15
		NATIONAL CONTRACTOR OF THE CON	US-PGPUB	2002/11/12 11:22
-	84	"tone reproduction characteristic" or "tone reproduction	EPO; JPO;	2003/11/13 11:23
		curve"	DERWENT;	
	51	maltz.in.	IBM_TDB USPAT;	2003/11/13 11:36
1 -	51	indice.iii.	US-PGPUB	2003/11/13 11.30
	3456	contrast adj process\$3	USPAT;	2003/11/13 11:40
-	3430	Contrast adj process#3	US-PGPUB	2003/11/13 11.10
1_	20	(contrast adj process\$3) and projector	USPAT;	2003/11/13 11:37
	20	(condust adj processys) and projector	US-PGPUB	2005/11/15 11:57
_	318	(contrast adj process\$3) and video	USPAT;	2003/11/13 11:40
	310	(conduct day processor) and video	US-PGPUB	
-	80	((contrast adj process\$3) and video) and brightness	USPAT;	2003/11/13 11:49
		(7	US-PGPUB	, , , , , , , , , , , , , , , , , , , ,
-	42	(contrast adj process\$3) and (((external or ambient) adj	USPAT;	2003/11/13 13:11
		light) or "illuminated surround")	US-PGPUB	' '
-	187	345/77.ccls.	USPAT;	2003/11/13 13:25
			US-PGPUB	
-	143	345/77.ccls. and (contrast tone brightness)	USPAT;	2003/11/13 13:27
			US-PGPUB	
-	26	345/77.ccls. and ((ambient or external) adj light)	USPAT;	2003/11/13 15:30
			US-PGPUB	
-	12	("5206633"   "5430289"   "5654764"   "5696988"	USPAT	2003/11/13 13:47
		"5798724"   "6020868"   "6035180"   "6069598"		
		"6201554"   "6281640"   "6396217"   "6411306").PN.		
-	36	(correct\$3 adj curve) near generat\$3	USPAT;	2003/11/13 15:57
			US-PGPUB	
-	13	((correct\$3 adj curve) near generat\$3) and sensor	USPAT;	2003/11/13 16:37
			US-PGPUB	
-	222	348/189.ccls.	USPAT;	2003/11/13 16:37
			US-PGPUB	

Search History 11/18/03 3:37:42 PM Page 1

[-	109	348/189.ccls. and (brightness contrast)	USPAT;	2003/11/13 16:37
	105	Joy 103.0013. and (Brightaless Contactor)	US-PGPUB	2000, 22, 20 20.0.
-	11	(348/189.ccls. and (brightness contrast)) and tone	USPAT;	2003/11/13 16:52
		(6.1-, 2-2-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	US-PGPUB	_ , ,
<b> </b> -	20	348/189.ccls. and lcd	USPAT;	2003/11/14 07:36
		· ·	US-PGPUB	
-	61860	Icd	USPAT;	2003/11/14 07:36
		·	US-PGPUB	
-	474	lcd and ((auto automatic automatically self) adj calibrat\$3)	USPAT;	2003/11/14 09:09
			US-PGPUB	
-	37	(lcd and ((auto automatic automatically self) adj calibrat\$3))	USPAT;	2003/11/14 07:57
		and (brightness and contrast)	US-PGPUB	1
-	88	(lcd and ((auto automatic automatically self) adj calibrat\$3))	USPAT;	2003/11/14 08:15
		and ((ambient or external) adj light)	US-PGPUB	
-	1572	Icd and ((auto automatic automatically self) adj adjust\$3)	USPAT;	2003/11/14 09:16
			US-PGPUB	
-	572	345/207,77.ccls. or 348/189.ccls.	USPAT;	2003/11/14 09:12
			US-PGPUB	
-	198	(345/207,77.ccls. or 348/189.ccls.) and "liquid crystal"	USPAT;	2003/11/14 09:13
		//	US-PGPUB	2002/44/44 00 46
-	18	((345/207,77.ccls. or 348/189.ccls.) and "liquid crystal") and	USPAT;	2003/11/14 09:16
		((auto automatic automatically self) adj (calibrat\$3 or	US-PGPUB	
	143	adjust\$3))	LICDAT.	2002/11/14 11:06
-	443	"gamma curve"	USPAT; US-PGPUB	2003/11/14 11:06
	102	Newwood and led	USPAT;	2003/11/14 11:06
-	102	"gamma curve" and icd	US-PGPUB	2003/11/14 11.00
	65	("gamma curve" and lcd) and (ambient or external)	USPAT;	2003/11/14 11:15
-	63	( garrina curve and icu) and (ambient or external)	US-PGPUB	2003/11/14 11.13
1_	28	(("gamma curve" and lcd) and (ambient or external)) and	USPAT;	2003/11/14 11:23
1	20	sensor	US-PGPUB	2003/11/11/11:23
_	1	5483259.pn.	USPAT;	2003/11/14 11:28
	_	3 103233.pm	US-PGPUB	2000, 22, 21, 22, 22
_	1	6340975.pn.	USPAT;	2003/11/14 11:38
1	_		US-PGPUB	
-	170	345/207.ccls.	USPAT;	2003/11/17 10:34
			US-PGPUB	
-	1	4,386,345.pn.	USPAT;	2003/11/17 10:35
			US-PGPUB	
-	15	kanai-masashi.in.	USPAT;	2003/11/18 15:34
			US-PGPUB	